



RCRA PERMIT
ADMINISTRATIVE RECORD
ITEM NUMBER
TOTAL NUMBER OF PAGES

8c
7-9-92
WA 2917

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Reply To
Attn. Of: HW-106

JUL 09 1992

John Stiller
Burlington Environmental Inc.
2203 Airport Way South, Suite 400
Seattle, WA 98134

Re: Burlington Pier 91 Facility
EPA ID# WAD 00081 2917

Dear Mr. Stiller:

The Environmental Protection Agency (EPA) approves the Burlington Environmental Inc. "RCRA Facility Investigation Work Plan" for the Pier 91 Facility as final with the conditions provided in the enclosure.

The enclosure describes three remaining items that EPA believes are necessary components of the investigation, but whose details can be worked-out within the current workplan. Therefore, the conditional approval allows the investigation to commence in accordance with the approved schedule in Section E of the workplan while EPA and Burlington finalize plans for these remaining items. A schedule for submitting proposed changes to the workplan in response to EPA's comments is included with each item in the enclosure.

If you have any questions regarding this matter, please contact David Croxton at (206) 553-8582.

Sincerely,

Michael F. Gearheard, Chief
Waste Management Branch

Enclosure

cc: D. Brown, Ecology
G. Tritt, Ecology-NWRO
D. Hotchkiss, Port of Seattle

FILE COPY

USEPA RCRA



3012423

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Reply To
Attn. Of: HW-106

John Stiller
Burlington Environmental Inc.
2203 Airport Way South, Suite 400
Seattle, WA 98134

Re: Burlington Pier 91 Facility
EPA ID# WAD 00081 2917

Dear Mr. Stiller:

The Environmental Protection Agency (EPA) approves the Burlington Environmental Inc. "RCRA Facility Investigation Work Plan" for the Pier 91 Facility as final with the conditions provided in the enclosure.

The enclosure describes three remaining items that EPA believes are necessary components of the investigation, but whose details can be worked-out within the current workplan. Therefore, the conditional approval allows the investigation to commence in accordance with the approved schedule in Section E of the workplan while EPA and Burlington finalize plans for these remaining items. A schedule for submitting proposed changes to the workplan in response to EPA's comments is included with each item in the enclosure.

If you have any questions regarding this matter, please contact David Croxton at (206) 553-8582.

Sincerely,

Michael F. Gearheard, Chief
Waste Management Branch

Enclosure

cc: D. Brown, Ecology
G. Tritt, Ecology-NWRO
D. Hotchkiss, Port of Seattle

CONCURRENCES: CROXTON SIKORSKI

DC
7/8/92

CS
7/9/92

